

UN MIGRATION

REVISED BY:

REVISION DATE:

REVISION:

UNITS:

00

SHEET:


SCALE:

2 OF 4

1:1


Notes:

- Soakaway pit (option: to be installed in areas with ground infiltraction only):
 Rim: 200x150x75mm burnt clay bricks, header bond 1:3 (Cement: Sand) mortar.
- 1.2. Fill: Graded hardcore or stones.
- Cover: Polyethylene or iron sheet buried and covered in soil. 1.3.



UN MI	GRATION

DESIGNED BY:	JULIETTE DE GAULTIER	DRAWING TITLE: COMMUNAL LATRINES, 6 STANCES - SECTION AND DETAILED VIEWS DRAWING NUMBER: SUD-WSH-004	
DATE:	28-08-2023		
APPROVED BY:			
REVISED BY:		REVISION: 00	SHEET: 3 OF 4
REVISION DATE:		UNITS: m	SCALE: 1:1



FRONT VIEW





DESIGNED BY:	JULIETTE DE GAULTIER	DRAWING TITLE: COMMUNAL LATRINES, 6 STANCES - ELEVATION	
DATE:	28-08-2023		
APPROVED BY:		DRAWING NUMBER: SU	JD-WSH-004
REVISED BY:		REVISION: 00	SHEET: 4 OF 4
REVISION DATE:		UNITS: m	SCALE: 1:1